

Nr. 21

“The secret is to look at ordinary things with completely different eyes,”

VIVA



June 21, 09 p.m
Leaving the city
for a long, free journey
on my motorbyke



CEMENTO LAPPATO - 606E8P GREY P.79 - 60x60 (23^{5/8}"x23^{5/8}")







CEMENTO NATURALE - 986E9R BLACK P.407 - 60x120 (23^{5/8}"x47^{1/4}")



CEMENTO LAPPATO - 986E8P GREY P.79 - 60x120 (23^{5/8}"x47^{1/4}")



WHITE P. 329



CEMENTO LAPPATO - 986EOP WHITE P.329 - 60x120 (23^{5/8}"x47^{1/4}")




CEMENTO NATURALE - 606E1R SAND P.294 - 60x60 (23^{5/8}"x23^{5/8}")





CEMENTO CASSAFORMA
556E80R GREY P.79 - 30x120 (11¹³/₁₆" x 47¹/₄") - MOSAICO COLORS I306E0G GREY/WHITE
I306E1G GREY/SAND I306E2G GREY/RED - I306E9G GREY/BLACK - 30x30 (11¹³/₁₆" x 11¹³/₁₆")


**MOSAICO
COLORS**











CEMENTO NATURALE - 986EOR WHITE P.329 - 60x120 (23^{5/8}"x47^{1/4}")



CEMENTO CASSAFORMA

536E8GR GREY P.79 - 15x120 (5⁷/₈"x47¹/₄")

546E8GR GREY P.79 20X120 (7⁷/₈"x47¹/₄") - 556E8GR GREY P.79 - 30x120 (11³/₁₆"x47¹/₄")






CEMENTO CASSAFORMA
536E1GR SAND P.294 - 15x120 (5⁷/₈"x47¹/₄") - 546E1GR SAND P.294 - 20x120 (7⁷/₈"x47¹/₄") - 556E1GR SAND P.294 - 30x120 (11¹³/₁₆"x47¹/₄")





CEMENTO NATURALE - 986E0R WHITE P.329 - 60x120 (23⁵/₈"x47¹/₄")










CEMENTO CASSAFORMA - 536E9GR BLACK P.407 - 15x120 (5^{7/8}"x47^{1/4}")



CEMENTO NATURALE
606E8R GREY P.79 - 60x60 (23^{5/8}"x23^{5/8}")
CEMENTO CASSAFORMA
536E8GR GREY P.79 - 536E2GR PAINT RED - 15x120 (5^{7/8}"x47^{1/4}")



CEMENTO CASSAFORMA
536E1GR SAND P.294 - 536E5GR PAINT BLUE - 536E2GR PAINT RED - 536E4GR PAINT GREEN - 15x120 (5^{7/8}"x47^{1/4}")

A photograph of a sunrise over a body of water. The sun is low on the horizon, creating a bright reflection on the water's surface. The sky is filled with soft, wispy clouds, and the overall color palette is dominated by warm yellows, oranges, and greys. A yellow circular callout with a hand-drawn border is positioned in the upper right quadrant, containing text.

June 22, 07 a.m
Home is back,
dawn is in front of me.
Finally I got
a new sight.



986E0R White P. 329 Naturale Rett. 84 ■
986E0P White P. 329 Lappato Rett. 87 ■
 60x120_23^{5/8}"x47^{1/4}"



986E1R Sand P. 294 Naturale Rett. 84 ■
986E1P Sand P. 294 Lappato Rett. 87 ■
 60x120_23^{5/8}"x47^{1/4}"



986E8R Grey P. 79 Naturale Rett. 84 ■
986E8P Grey P. 79 Lappato Rett. 87 ■
 60x120_23^{5/8}"x47^{1/4}"



986E9R Black P. 407 Naturale Rett. 84 ■
986E9P Black P. 407 Lappato Rett. 87 ■
 60x120_23^{5/8}"x47^{1/4}"



606E0R White P. 329 Naturale Rett. 76 ■
606E0P White P. 329 Lappato Rett. 79B ■
 60x60_23^{5/8}"x23^{5/8}"



606E1R Sand P. 294 Naturale Rett. 76 ■
606E1P Sand P. 294 Lappato Rett. 79B ■
 60x60_23^{5/8}"x23^{5/8}"



606E8R Grey P. 79 Naturale Rett. 76 ■
606E8P Grey P. 79 Lappato Rett. 79B ■
 60x60_23^{5/8}"x23^{5/8}"



606E9R Black P. 407 Naturale Rett. 76 ■
606E9P Black P. 407 Lappato Rett. 79B ■
 60x60_23^{5/8}"x23^{5/8}"



636E0R White P. 329 Naturale Rett. 76 ■
 30x60_11^{13/16}"x23^{5/8}"



636E1R Sand P. 294 Naturale Rett. 76 ■
 30x60_11^{13/16}"x23^{5/8}"




636E8R Grey P. 79 Naturale Rett. 76 ■
 30x60_11^{13/16}"x23^{5/8}"



636E9R Black P. 407 Naturale Rett. 76 ■
 30x60_11^{13/16}"x23^{5/8}"

Pezzi speciali

OPTION TRIMS - PIECES SPECIALES - FORMTEILE - PIEZAS ESPECIALES - СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ




GRADONE - STEP

- 716E0RG** White P.329
- 716E1RG** Sand P.294
- 716E8RG** Grey P.79
- 716E9RG** Black P.407

33x60x4,5x3,5_12^{15/16}"x23^{5/8}"x1^{3/4}"x1^{3/8}"
 PCS. BOX 4

79A ■




ANGOLARE - CORNER TILE

- 726E0RA** White P. 329
- 726E1RA** Sand P. 294
- 726E8RA** Grey P. 79
- 726E9RA** Black P. 407

33x33x4,5x3,5_12^{15/16}"x12^{15/16}"x1^{3/4}"x1^{3/8}"
 PCS. BOX 2

78 ■



BATTISCOPIA - SKIRTING

- 956E0R** White P. 329
- 956E1R** Sand P. 294
- 956E8R** Grey P. 79
- 956E9R** Black P. 407

7,3x60_2^{7/8}"x23^{5/8}"
 PCS. BOX 10

10 ■



CEMENTO CASSAFORMA



556E0GR
White P.329 Naturale Rett.
30x120_11^{13/16} x 47^{1/4} 85A



556E1GR
Sand P.294 Naturale Rett.
30x120_11^{13/16} x 47^{1/4} 85A



556E8GR
Grey P.79 Naturale Rett.
30x120_11^{13/16} x 47^{1/4} 85A



556E9GR
Black P.407 Naturale Rett.
30x120_11^{13/16} x 47^{1/4} 85A



536E0GR
White P.329 Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E1GR
Sand P.294 Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E8GR
Grey P.79 Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E9GR
Black P.407 Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E2GR
Paint Red Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E4GR
Paint Green Rett.
15x120_5^{7/8} x 47^{1/4} 87



536E5GR
Paint Blue Rett.
15x120_5^{7/8} x 47^{1/4} 87




546E0GR
White P.329 Naturale Rett.
20x120_7^{7/8} x 47^{1/4} 87



546E1GR
Sand P.294 Naturale Rett.
20x120_7^{7/8} x 47^{1/4} 87



546E8GR
Grey P.79 Naturale Rett.
20x120_7^{7/8} x 47^{1/4} 87



546E9GR
Black P.407 Naturale Rett.
20x120_7^{7/8} x 47^{1/4} 87

MOSAICO 21 mix cemento e cassaforma - Tessera 4,8x4,8 - Chip 1^{7/8}x1^{7/8}



I306E0
White P. 329
30x30_11^{13/16} x 11^{13/16} 94



I306E1
Sand P. 294
30x30_11^{13/16} x 11^{13/16} 94




I306E8
Grey P. 79
30x30_11^{13/16} x 11^{13/16} 94



I306E9
Black P. 407
30x30_11^{13/16} x 11^{13/16} 94


MOSAICO COLORS - Tessera 2,8x2,8 - Chip 1^{1/8}x1^{1/8}




I306E0G
Grey-White
30x30_11^{13/16} x 11^{13/16} 97



I306E1G
Grey-Sand
30x30_11^{13/16} x 11^{13/16} 97



I306E2G
Grey-Red
30x30_11^{13/16} x 11^{13/16} 97




I306E9G
Grey-Black
30x30_11^{13/16} x 11^{13/16} 97

CARATTERISTICHE TECNICHE <i>Technical Features Caracteristiques Techniques Technische Eigenschaften Características Técnicas Технические Характеристики</i>		NORMA <i>Standard Norme Norm Norma Норма</i>	VALORI <i>Value Valeur Vorgabe Valor Средние</i>	
	PLANARITÀ <i>Warpage - Planéité - Ebenflächigkeit - Planiyud - Плоскостность</i>	UNI EN ISO 10545/2	± 0,26%	
		ASTM C485 Warpage		
		Calibrated ± 0,75% (max ± 0,09 in)	-	
		Rectified ± 0,40% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)	± 0,25% (max ± 0,05 in-size ≤ 60cm) (max ± 0,07 in-size > 60cm)	
	ASSORBIMENTO D'ACQUA Valore medio in % <i>Water absorption - Average value expressed in % Absorption d'eau - Valeur moyenne en % Wasseraufnahme - Durchschnittswert in % Absorción de agua - Valor medio en % Поглощение воды</i>	UNI EN ISO 10545/3 ASTM C373	Conforme Compliant	
	RESISTENZA ALL'ABRASIONE PEI <i>Resistance to PEI abrasion - Résistance à l'abrasion du PEI Abriebfestigkeit PEI - Resistencia a la abrasion PEI Стойкость к истиранию PEI</i>	UNI EN ISO 10545/7 ASTM C1027	Paint Blue, Paint Red, Paint Green 4 Paint Blue, Paint Red, Paint Green IV	
	RESISTENZA ALLA FLESSIONE <i>Flexural strength - Resistance a la flexion Biegefestigkeit - Resistencia a la flexion - Прочность на изгиб</i>	UNI EN ISO 10545/4	≥ 50	
	FORZA DI ROTTURA <i>Breaking strength - Résistance à la rupture Bruchlast - Resistencia a la rotura - Разрывное усилие</i>	UNI EN ISO 10545/4 ASTM C648	≥ 2000 700 LBS	
	RESISTENZA AL GELO <i>Frost resistance - Résistance au gel Frostbeständigkeit - Resistencia a las heladas - Морозостойкость</i>	UNI EN ISO 10545/12 ASTM C1026	Conforme Unaffected	
	RESISTENZA CHIMICA ad alte e basse concentrazioni di acidi e basi <i>Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей</i>	UNI EN ISO 10545/13 ASTM C-650	Paint Blue, Paint Red, Paint Green GA - GLA - GHA Unaffected	
		UNI EN ISO 10545/13 ASTM C-650	UA - ULA - UHA Unaffected	
	RESISTENZA ALLE MACCHIE <i>Stain resistance - Résistance aux taches Fleckenbeständigkeit - Resistencia a las manchas - Стойкость к образованию пятен</i>	UNI EN ISO 10545/14 CTI 81-7D	5 No Evident Variation	
	SCIVOLOSITÀ <i>Slip level - Coefficient de glissement Rutschfestigkeit - Coeficiente de atrito medio - Скользяние</i>	DIN 51130 DIN 51097 ASTM C1028 ASCIUTTO-DRY/BAGNATO-WET DM 236/89 METODO B.C.R.A.	Naturale R10 C (A+B+C) ≥ 0,60 / ≥ 0,60 ≥ 0,40	Lappato - - - -



PER MAGGIORI CHIARIMENTI SUI DATI TECNICI E SULLA GARANZIA CONSULTARE IL CATALOGO GENERALE IN VIGORE. For further information on technical specifications, please consult our up-dated general catalogue. Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. Para ulteriores informaciones sobre los datos técnicos y la garantía, vease el catalogo general en vigor. Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.

SHADE VARIATION



IMBALLI E PESI Packing and weight - Emballages et poids - Verpackung und gewicht - Embalajes y pesos - Упаковка и вес

Articolo Item Reference Artikel Artículo АРТИКУЛА	Formato Size Format Format Тamaño ФОРМАТ cm.	Spessore Thickness Épaisseur Stärke Espesor ТОЛЩИНА mm.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja ШТ. x КОР.	Mq. x Scat. Sqm x Box M² / Bte Qm x Krt. Mc. x Caja КВ.М. x КОР.	Peso x Scat. Weight x Box Poids / Bte(kg) Gewicht x Krt.(kg) Peso x Caja(kg) ВЕС x КОР. KG	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. КОР. x ПОДД.	Mq. x Pal. Sqm x Pal. M² / Pal. Qm x Pal. Mc. x Pal. КВ.М x ПОДД.	Peso x Pal. Weight x Pal. Poids / Pal.(kg) Gewicht x Pal.(kg) Peso x Pal.(kg) ВЕС x ПОДД. KG
986E_R 986E_P	60x120	10,5	2	1,44	35,0	14	20,16	490
606E_R 686E_P	60x60	10,5	3	1,08	25,0	36	38,88	900
636E_R	30x60	10,5	6	1,08	25,0	40	43,20	1000
556E_GR	30x120	10,5	4	1,44	34,4	14	20,16	482
546E_GR	20x120	10,5	4	0,96	23,5	33	31,68	776
536E_GR	15x120	10,5	6	1,08	22,4	28	30,24	627
I306E I306E_G	30x30	10,5	5	0,45	10,3	60	27,00	618



VIVA

a brand of EMILCERAMICA S.p.A.
Sede amministrativa/commerciale:
Via Ghiarola Nuova, 29/33
41042 Fiorano Modenese (MO) Italy
Tel. +39 0536 998701 - Fax +39 0536 998702
info@emilceramicagroup.it - www.cerviva.it

